STERIS

SENECA DISTRICT HOSPITAL Account: 45837

130 BRENTWOOD DR CHESTER, CA 96020, US STERIS Corporation 5960 Heisley Road Mentor, OH 44060-1834 • USA 440-354-2600 GLN: 0724995000004

Revision No: 11
Date: 31 July 2025
Submitted By:

Eileen Zadnik, Sales Development Specialist David Gagetta, Capital Account Manager Please submit your quote and purchase order directly to your Account Manager or to SterileProcessingCapitalOrders@steris.com

STERIS is pleased to make the following proposal for your consideration:

Voltage, utilities and configurations must be confirmed prior to order placement.

Customer responsible for ensuring utilities and infrastructure meets equipment requirements per the equipment drawing.

Accessories will need to be confirmed to make certain all Customer needs are met.

STERIS Account Manager will confirm the delivery date with Customer roughly 45 days prior to scheduled shipment. At that point, the manufacturing process cannot be altered. In the event the Customer extends the agreed upon delivery date, title to equipment will transfer from STERIS to the Customer post-shipment, and applicable storage and handling fees may be applied.

NOTICE: The sale of Products or Services covered by this Quotation is subject to STERIS Corporation's Terms and Conditions of Sale which can be found at http://www.steris.com/sales-and-installation-terms-and-conditions. Warranty terms for Certified Pre-Owned Equipment can be found at https://www.steris.com/about/terms_sale/certified-pre-owned-equipment-warranty. Any additional or different terms or conditions proposed by Customer are rejected and will not be binding upon STERIS unless specifically agreed in writing by an authorized representative of STERIS.





Quote Total Excluding Taxes With Package Level Discount Applied	USD 483,785.35
Package Level Discount	USD (8,965.78)
Subtotal	USD 492,751.13
Shipping & Handling	41,900.79
Project Design, Program Planning & Coordination Support Services Reprocessing	14,976.17
Prolystica Acu-Hold System	154.46
AMSCO 5052 Washer - EQ#: WSHD01	92,864.73
AMSCO Prep and Pack Table - EQ#: TWA01	8,010.54
V-Pro s2 - EQ#: STE02	62,666.08
AMSCO 400 20in & AMSCO 600 39in Sterilizers QTY 2 - EQ#: STE01	178,180.29
Double Bay Scrub Sink - EQ#: SNK02	9,957.05
AMSCO 53 120in Triple Sink - EQ#: SNK01	22,475.69
InnoWave Unity 20gal- EQ#: CLR01	40,861.72
AMSCO Drying Cabinet - EQ#: CAB04	20,703.61
Executive Summary	



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
1.0000	DCR100101 GTIN: 00724995162610	AMSCO Drying Cabinet, Pass through, 29in, 120V, English AMSCO Drying Cabinet is intended for drying manually washed devices prior to sterilization. The pass through cabinet provides a safe way to move devices from cleaning to load preparation while also reducing manual drying time. The 29 inch wide cabinet is equipped with 9 shelves, scope hangers, and a touch screen control, with a timer for each shelf. • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION For more information on this product, click here	1	12,201.40	12,201.40
1.0100	DCAR292	AMSCO Drying Cabinet Trim Kit 29In, Set of 2 AMSCO DRYING CABINET TRIM KIT 29IN, set of 2	1	3,025.00	3,025.00
1.0200	DCSEISMIC	AMSCO Drying Cabinet Seismic Kit	1	1,710.00	1,710.00
1.0210	DCDOORBR	Door Swing Restricting Bracket For Amsco Cabinet Door Swing Restrictor Bracket for Drying Cabinets - Two Brackets Required Per Door For more information on this product, click here	4	93.00	372.00
1.0300	SE101812	Install AMSCO Drying Cabinet STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	2,416.05	2,416.05
1.0400	SE1018182	Install Seismic For Drying Cabinets	1	979.16	979.16
		AMSCO Drying Cabinet - EQ#: CAB04			20,703.61
2.0000	IW523546NPR GTIN: 00724995193737	 InnoWave Unity 20 Sonic Irrigator 208V 60Hz Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION For more information on this product, click here 	1	35,124.55	35,124.55
2.0100	MP22699	Innowave Unity 15 Gal Seismic Anchoring Kit InnoWave Unity 15 Gallon - Seismic Anchoring Kit Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	1,209.41	1,209.41
					Dogo 2 of 19



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
2.0200	MED3088	ELBOW 6MM X 1/8" FLOW • Contract: GR VIZIENT 5% SERVICE PARTS DISCOUNT	4	50.84	203.36
2.0300	SE130202	Install InnoWave Unity STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	1,516.47	1,516.47
2.0400	SE0000082	Seismic Anchoring (Excludes x-raying the floor, through bolting, & associated hardware) STERIS provides a representative to anchor the equipment to ensure the seismic installation meets local building codes. (Excludes x-raying the floor, through bolting, & associated hardware)	1	2,807.93	2,807.93
		InnoWave Unity 20gal- EQ#: CLR01			40,861.72
3.0000	SINK50120 GTIN: 00724995162320	AMSCO 53 Reprocessing Sink 120" Triple Bay Don't let your cleaning standards sink. The AMSCO 53 Reprocessing Sink will help your facility provide a comfortable and flexible work environment for your staff. The sink is ergonomic as it offers a height adjustable counter and magnetic backsplash for accessories that help streamline workflow. When you purchase this unit, it will include: 30" bays, air & water pistols with the various tip attachments plus magnetic holders, 2 pre-rinse & faucet combos, treated water faucet, external drain lever handles and etched gallon markers in bay to ensure proper water to chemistry ratios. • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	13,074.50	13,074.50
3.0100	SINKAC011	Backsplash Bracket for AcuSinq Dosing System	1	185.40	185.40
3.0200	SINKAC010	Chemistry Mount (Fits 1 and 2.5 Gallon Containers) • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	132.39	132.39
3.0300	SWA001	Flex Plate (Qty 2) • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	418.01	418.01



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
3.0400	SINKAC009	Copper Drain - Triple Bay Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	1,350.07	1,350.07
3.0500	AQS2	Acu-sInQ 2 Chemistry Dosing System with flow metering, temperature monitoring, and USB data output. Acu-sInQ 2 Chemistry Dosing System with flow metering, temperature monitoring, and USB data output. Includes USB thumb drive and all necessary tubing. Contract: GR VIZIENT MS1217 TIER 4 ACCOMMODATION INSTRUMENT CARE	1	528.70	528.70
3.0600	SE104112	Install Copper Drain Kit for AMSCO 30 & 50	1	1,207.49	1,207.49
3.0700	SE1014484	Seismic Installation - Reprocessing Sinks	1	1,878.68	1,878.68
3.0800	SE101482	Install AMSCO 50 Reprocessing Sink STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	3,354.86	3,354.86
3.0900	SE103502	Install Acu-sInQ 2 STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	345.59	345.59
		AMSCO 53 120in Triple Sink - EQ#: SNK01			22,475.69



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
4.0000	CE122301	Two stations with timer Stainless steel Knee operated water ON/OFF Two stations with timer Stainless steel Manual knee operated water ON/OFF Shipping weight 280 lbs (127 kg) Case Goods Two Stations Contract: GR VIZIENT CE7192 TIER 2 ANCILLARY STAINLESS STEEL EQUIPMENT	1	7,030.38	7,030.38
4.0100	CE00006	Chair carrier for use with two stations Equipment drawing 617106-851 Chair carrier for use with scrub sink with two stations Contract: GR VIZIENT CE7192 TIER 2 ANCILLARY STAINLESS STEEL EQUIPMENT	1	232.47	232.47
4.0200	CE000001	Eye Wash Fixture for Flexmatic and Streamline Scrub Stations The Eye Wash Fixture is an accessory option for Flexmatic Scrub Stations and Streamline Scrub Stations. It provides convenient OR access to an emergency eye wash and is intended as a supplement installation to other dedicated eye wash stations. Contract: GR VIZIENT CE7192 TIER 2 ANCILLARY STAINLESS STEEL EQUIPMENT	1	291.62	291.62
4.0300	CE0000003	Laminar Flow Faucet Head for Flexmatic and Streamline Scrub Stations The Laminar Flow Faucet Head is an optional accessory for Flexmatic Scrub Stations and Streamline Scrub Stations and delivers a consistant stream of columnar water that has a non-splash characteristic. • Contract: GR VIZIENT CE7192 TIER 2 ANCILLARY STAINLESS STEEL EQUIPMENT	2	83.79	167.58



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
4.0400	SE131042	Install Dual or Triple Scrub Station STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Installation fee does not include installation of chair carriers. Chair carrier installation is the responsibility of the Customer. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work. Case Goods Two Stations	1	2,235.00	2,235.00
		Double Bay Scrub Sink - EQ#: SNK02			9,957.05



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
5.0000	SR0201110311 GTIN: 00724995209445	Amsco 400 20X20X38 Prevacuum Single Sliding Cabinet Electric 480V The AMSCO 400 SERIES 20 Small Steam Sterilizer features a high capacity chamber that has been validated to sterilize up to three 25lb instrument trays. Increased shelf clearance accommodates larger sets. 12 programmable cycles include "Immediate Use" Prevac 4+1, Gravity and Liquids. Cycle names are customizable. The chamber is constructed of solid 316L stainless steel and carries a 15 year warranty. The pressure vessel has a full jacket design to minimize the formation of excess condensation on the chamber interior. Steam activated gasket requires no lubrication and is warranted for 2 years. The automated vertical sliding door is foot pedal activated for hands-free operation. Enhanced display is located at ergonomic height and features large cycle countdown visible from 15 feet away. Ink on paper impact printer provides permanent cycle record. Utilities usage is minimized with multiple temperature sensors. System operation can be continuously monitored with STERIS Proconnect remote service monitoring.	1	42,289.16	42,289.16
		Integrated 30kW electric steam generator includes automated flush and drain function to ease maintenance requirements and extend generator life. • AMSCO® 400 Small Steam Sterilizers			
		 20" x 20" x 38" Prevacuum Single Door Integral Steam Generator Standard configuration with a Venturi - single phase power only 480V Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT 			
5.0100	FV021011	Amsco 400 Series 20 X 20 X 38 Rack & Two Shelves, Single Door • Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT	1	2,406.28	2,406.28
5.0200	FV020018	Seismic Kit for 20in Small Steam Sterilizer	1	540.75	540.75



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
5.0300	SE011062	Install Small Sterilizer STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	5,512.84	5,512.84
5.0400	SE000008	Install Cabinet Pkg on the unit STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	1,402.90	1,402.90
5.0500	SE0000082	Seismic Anchoring (Excludes x-raying the floor, through bolting, & associated hardware) STERIS provides a representative to anchor the equipment to ensure the seismic installation meets local building codes. (Excludes x-raying the floor, through bolting, & associated hardware)	1	2,807.93	2,807.93



Extended

Unit

Equipment #	Description	Quantity	Discount Price	Discount Price
EF1101242 GTIN: 00724995179229	AMSCO 600 Prevac Steam Sterilizer, 26.5X26.5X39, Electric, Single Door, Vert Slide, Cabinet, 480V Model 939V-1 includes: • High capacity, fully-jacketed, 316L stainless steel chamber validated for processing up to (9) 25lb instrument trays (225lbs) • Durable rigid chamber insulation cover • Vertical sliding door with pneumatic drive • Steam activated gasket with 2-year warranty • Clean steam-ready with stainless steel piping for steam delivery • Durable, low maintenance pneumatic valves and 2-stage vacuum pump • Secure, proprietary microprocessor control • 8.4" high resolution touch screen display • Thermal printer with easy load, long life paper • USB port for data download • 45kW integral stainless-steel generator for clean steam (requires RO/DI water) • AMSCO® 600 Sterilizers • 26.5" x 26.5" x 39" • Single Door • Integral Steam Generator • 480V • Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT	1	98,506.07	98,506.07
EF000000000000003	AMSCO 600 Flush & Drain Kit for Integrated Steam Generator. For sterilizers after SN032312003, all voltages, new generator control box not required\00A0 • Contract: GR VIZIENT CE7594 TIER 3 ACCOMMODATION STEAM STERILIZATION EQUIPMENT	1	3,024.28	3,024.28
AY1596692 GTIN: 07350109400137	2 Side & 2 End Rails for AMSCO 600 Loading Car Side & End Rails (39IN, 990MM) • Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT	1	216.22	216.22
AY1598102 GTIN: 07350109400342	AMSCO 600 Transfer Carriage, Fixed Height (39IN, 990MM) Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT	1	3,471.47	3,471.47
AY1596622 GTIN: 07350109400090	AMSCO 600 Extra Shelf for Loading Car (39IN, 990MM) Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT	1	564.56	564.56
AY1596602 GTIN: 07350109400052	AMSCO 600 Loading Car with 2 Shelves (39IN, 990MM) Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT	1	2,378.38	2,378.38
	GTIN: 00724995179229 EF00000000000000003 AY1596692 GTIN: 07350109400137 AY1598102 GTIN: 07350109400342 AY1596622 GTIN: 07350109400090 AY1596602	EF1101242 GTIN: 00724995179229 AMSCO 600 Prevac Steam Sterilizer, 26.5X26.5X39, Electric, Single Door, Vert Slide, Cabinet, 480V Model 939V-1 includes: • High capacity, fully-jacketed, 316L stainless steel chamber validated for processing up to (9) 25b instrument trays (225lbs) • Durable rigid chamber insulation cover • Vertical sliding door with pneumatic drive • Steam activated gasket with 2-year warranty • Clean steam-ready with stainless steel piping for steam delivery • Durable, low maintenance pneumatic valves and 2-stage vacuum pump • Secure, proprietary microprocessor control • 8.4" high resolution touch screen display • Thermal printer with easy load, long life paper • USB port for data download • 45kW integral stainless-steel generator for clean steam (requires RO/DI water) • AMSCO® 600 Sterilizers • 26.5" x 26.5" x 39" • Single Door • Integral Steam Generator • 480V • Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT EF00000000000000000000000000000000000	### AMSCO 600 Prevac Steam Sterilizer, 26.5X26.5X39, Electric, Single Door, Vert Slide, Cabinet, 480V Model 939-7-1 includes: • High capacity, fully-jacketed, 316L stainless steel chamber validated for processing up to (9) 25b instrument trays (225lbs) • Durable rigid chamber insulation cover • Vertical sliding door with pneumatic drive • Steam activated gasket with 2-year warranty • Clean steam-ready with stainless steel piping for steam delivery • Durable, low maintenance pneumatic valves and 2-stage vacuum pump • Secure, proprietary microprocessor control • 8.4" high resolution touch screen display • Thermal printer with easy load, long life paper • USB port for data download • 45kW integral stainless-steel generator for clean steam (requires RO/DI water) • AMSCO® 600 Sterilizers • 26.5" x 26.5" x 39" • Single Door • Integral Steam Generator • 480V • Contract: GR VIZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT ### EFF000000000000000000000000000000000	EP101242 GTIN: 00724995179229 AMSCO 600 Prevac Steam Sterilizer, 26.5X26.5X39, Electric, Single Door, Vert Slide, Cabinet, 480V Model 938V-1 includes: • High capacity, fully-lacketed, 316L stainless steel chamber validated for processing up to (9) 25b instrument trays (225lbs) • Durable rigid chamber insulation cover • Vertical sliding door with pneumatic drive • Steam activated gasket with 2 year warrant) • Clean steam-ready with stainless steel pinning for steam delivery • Durable, low maintenance pneumatic valves and 2-stage vacuum pump • Secure, proprietary microprocessor control • 48 "high resolution touch screen display • Thermal printer with easy load, long life paper • USB port for data clownload • 45kW integral stainless-steel generator for clean steam (requires RO/D) water) • AMSCO® 600 Sterilizers • 28.5° × 28.5° × 28.5° × 38° • Single Door • Integral Steam Generator • 480V • Contract: GR WZIENT CE7594 TIER 3 STEAM STERILIZATION EQUIPMENT EP000000000000000000 AMSCO 600 Flush & Drain Kit for Integrated Steam Generator. • 1 3.024.28 EP00000000000000000000000000000000000



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
5.1200	SE601322	Install Loading Cart/Transfer Carriage STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	415.88	415.88
5.1200	EF0000000000000001	AMSCO 600 Seismic Kit Contract: GR VIZIENT CE7594 TIER 3 ACCOMMODATION STEAM STERILIZATION EQUIPMENT	1	1,647.21	1,647.21
5.1300	AY1596152 GTIN: 07350109400540	AMSCO 600 Sterilizer Chamber Rail (39IN, 990MM)	1	832.98	832.98
5.1400	SE011492	Install AMSCO 600 Electric STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	8,075.45	8,075.45
5.1500	SE0114938	Install Flush & Drain During Ster Installation	1	1,280.00	1,280.00
5.1700	SE0000082	Seismic Anchoring (Excludes x-raying the floor, through bolting, & associated hardware) STERIS provides a representative to anchor the equipment to ensure the seismic installation meets local building codes. (Excludes x-raying the floor, through bolting, & associated hardware)	1	2,807.93	2,807.93
		AMSCO 400 20in & AMSCO 600 39in Sterilizers QTY 2 - EQ#: STE01			178,180.29



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
6.0000	VP60002401 GTIN: 00724995164096	 V-PRO s2 STERILIZER 120V, 60HZ, CAB SD EN V-PRO s2 Low Temperature Sterilization System with 19 minute Fast Cycle Contract: GR VIZIENT CE7742 TIER 2 LOW TEMP STERILIZATION For more information on this product, click here 	1	53,616.30	53,616.30
6.0100	11005145	V-PRO s2 Seismic Anchorage kit	1	1,459.51	1,459.51
6.0200	SE060042	Install V-PRO S2 Sterilizer 120V, 60Hz, Cab SD EN STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	950.49	950.49
6.0300	SE6009485	INSTALL SEISMIC LOW TEMPERATURE STERILIZERS	1	1,006.78	1,006.78
6.0400	SE0600410000102	1st Year Deep-Vacuum Pump Service V-PRO S2 (2 PM)	1	5,633.00	5,633.00
		V-Pro s2 - EQ#: STE02			62,666.08
7.0000	PREP55	AMSCO Prep and Pack Table Deluxe Electric • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	5,454.19	5,454.19
7.0100	PREP00043	Magnification Light ■ Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	226.22	226.22
7.0200	PREP00040	Task Drawer Suspended 1-6 Inch Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	179.96	179.96
7.0300	PREP00017	AKRO Bin, Blue 5-Pack • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	77.15	77.15



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
7.0400	SE100112	Install of Deluxe AMSCO Prep & Pack Table STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	2,073.02	2,073.02
		AMSCO Prep and Pack Table - EQ#: TWA01			8,010.54
8.0000	FH14043 GTIN: 00724995192969	AMSCO® Washer Disinfector 5052, 480V, 60HZ, DD, Electric The AMSCO 5052 Washer/Disinfector is the most productive in its class with a standard 25 minute cycle when used with Prolystica Ultra Concentrate chemistries. Delivers intermediate level disinfection and is ISO/AAMI 15883 compliant. Packed with value: Touch screen control, USB cycle tape download, drain discharge cool down, chemical dosing system and 180 degree reverse install are all included. Comes with condenser - can install vented or nonvented. Compatible with Vision racks. • AMSCO® Washer/Disinfector • AMSCO® 5052 • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION For more information on this product, click here	1	62,394.46	62,394.46
8.0100	FD74900 GTIN: 00724995151157	 3 Level Manifold Rack 3 level manifold rack, for 3 Multi-Function Racks for Small Items Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION 	1	2,585.01	2,585.01
8.0200	FD037	Installation Kit, Flexible hoses for utilities (for Electric unit) Five flexible hoses (or 3 for electric unit) are provided to simplify the connections between the washer steam and water port and the building supply lines. Includes manual shut off valves and manometer for pressure reading on all water inlet lines. A manual shut off valve is also provided for both steam and condensate return line. • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	1,133.70	1,133.70



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
8.0300	FD094	Protocol Printer • Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	828.41	828.41
8.0400	FD085	Seismic tie-down kit Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	1	299.77	299.77
8.0410	FD448105	TOP ENCLOSURE PANEL 3052/5052, 9FT, 1 WASHER Top enclosure panels for 3052/5052 Washers, 9ft ceiling, 1 washer	1	6,361.97	6,361.97
8.0420	FD199	TRANSFER CART, SHORT, AUTO LOCK Auto Docking Transfer Cart for Standard Chamber Washer. Adapter for Washer or SCS required (FD209) Contract: GR VIZIENT CE7599 TIER 4 CLEANING & DECONTAMINATION	2	2,688.90	5,377.80
8.0430	FD214	Auto Docking Transfer Cart Adapter for 5052/3052 Washers	2	1,266.90	2,533.80
8.0500	SE0000082	Seismic Anchoring (Excludes x-raying the floor, through bolting, & associated hardware) STERIS provides a representative to anchor the equipment to ensure the seismic installation meets local building codes. (Excludes x-raying the floor, through bolting, & associated hardware)	1	2,807.93	2,807.93
8.0600	SE101572	Install AMSCO 5052 Washer STERIS installation includes all necessary labor (non-union) and materials required to uncrate, set-in-place and assemble STERIS equipment. Price is for normal working hours, Monday – Friday 8 am -5 pm unless otherwise noted. STERIS also includes with its Installation Services an operational check-out test, any necessary adjustments and a demonstration of the equipment for appropriate facility personnel. Please refer to the STERIS terms and conditions of installation found later in this quotation for a more detailed description of the scope of work.	1	6,100.13	6,100.13
8.0700	SE10183206	Install Top Enclosure Panels - 1 Washer	1	1,609.99	1,609.99
8.0800	SE104052	Assembly Cost for Transfer Cart	2	415.88	831.76
		AMSCO 5052 Washer - EQ#: WSHD01			92,864.73
9.0000	T637Q0 GTIN: 00724995095222	Prolystica Acu-Hold System (1 Bottle Bracket - Each) PROLYSTICA ACU-HOLD® wall-mounted, molded plastic support system (1 bottle bracket - each)	3	31.92	95.76
					Page 14 of 19



Item	Equipment #	Description	Quantity	Unit Discount Price	Extended Discount Price
9.0100	T635Q0 GTIN: 00724995095215	Prolystica Acu-Hold System Rail 38" (1 each) PROLYSTICA ACU-HOLD® wall-mounted, molded plastic support system rail 38" 1- each	1	58.70	58.70
		Prolystica Acu-Hold System			154.46
10.0000	PDMPLANNINGIPT	Project Design, Program Planning & Coordination Support Services Reprocessing Project Design, Program Planning & Coordination Support Services Reprocessing Reprocessing Reprocessing Department Simulation Equipment Capacity Assessments Space Allocation Recommendations Workflow Analysis Templated & Site Specific Design Layout Recomemdations REVIT/AutoCAD Support Advanced Visualization Services/Renderings/VR Utility Requirement Summaries & Utilization Equipment Submittal Documentation & MEP Review On site meeting attendance for project support	1	14,976.17	14,976.17
		Project Design, Program Planning & Coordination Support Services Reprocessing			14,976.17
11.0000	SHIPPING & HANDLING	CHARGES STERIS's designated carriers are extensively trained to best handle our complex equipment needs and ensure safe and timely delivery of all products. Our carrier representatives work to ensure accurate deliveries specific to your timeline as well as problem resolution should there be any delays, damages or redelivery required.	1	41,900.79	41,900.79
		Shipping & Handling			41,900.79
Currency:	USD	Quote Total Excluding Taxes			492,751.13
		Package Level Discount			(8,965.78)
		Quote Total Excluding Taxes With Package Level Dis	count Appl	ied	483,785.35



SENECA DISTRICT HOSPITAL

Account: 45837

NOTE: ALL TAXES ARE EXCLUDED UNLESS OTHERWISE STATED. IF EXEMPT, PROOF OF TAX EXEMPTION MUST ACCOMPANY ALL PURCHASE ORDERS.

NOTE: Under present circumstances, this quotation may be considered firm for thirty (30) days from this date. Acceptance later is subject to confirmation. Our quotation is extended on the basis of shipment being made within twelve (12) months after receipt of purchase order or contract. For extended shipments, add ½% per month for any subsequent period beyond (12) months.

Term of Payment: NET 30

Terms of Shipping: PPA (Prepay & Add)

FOB: Destination



SENECA DISTRICT HOSPITAL

Account: 45837

DELIVERY INSTRUCTIONS

Customer Durchage Order			
Customer Purchase Order:			
STERIS Sales Order Number:			
Delivery Address:			
Dock Days: m-f			
Dock Hours: 8-5			
Precall Required	Yes	No	
Note: Carrier will call 24 hours in advance of shipment to notify of delivery the	following day.		
Appointment Required	Yes	No	
Note: If appointment required, carrier will hold shipment till contact below is re-	eached to set a	delivery appoin	tment.
Receiving Contact for Required Precall			
Receiving Contact Phone			
Receiving Contact Email			
Dock with Leveler	No		
Standard Size Dock (48-52" High)	No		
Accommodate 75ft x 13.5ft H Tractor Trailer (Trailer plus sleeper unit)	No		
If no, please specify max length/height of truck that can deliver		_	
Proper equipment available at Customer site to unload the equipment	Yes	No	
Note: <1,000lbs: a pallet jack probably would suffice; >1,000lbs a fork lift wo	uld probably be	the preferred m	nethod
Liftgate Required*	No		
Inside Delivery Beyond the Dock*	Yes	No	
If yes, provide final delivery location (e.g. Room 204, Floor 4)			
Equipment to be delivered to a construction site	Yes	No	
If yes, PPE may be required by carrier. Please specify what PP will be required	d for delivery		
Union Drivers Required on Site	Yes	No	

Updated on: 3/7/2023

^{* =} Additional Charges Apply



SENECA DISTRICT HOSPITAL

Account: 45837

Date: 31 July 2025

Submitted By: Eileen Zadnik Sales Development Specialist

David Gagetta

Capital Account Manager

STERIS Corporation 5960 Heisley Road Mentor, OH 44060 Tel: 440-354-2600 Accepted For: SENECA DISTRICT HOSPITAL Account: 45837

Signature:	
Title:	_
Date:	
E-mail:	
Purchase Order:	
Want Date:	
Ship To Address:	
Bill To Address:	

View order history and place orders for accessories, consumables and parts on-line. Visit us at https://shop.steris.com