

QUOTE

Quote ID: 272033408

OVERSIZE

Dealer Info

DeMartile Automotive/Tires and More
200 East Main st
Quincy, CA 95971

(530) 283-2211
demartileauto@digitalpath.net

Quote Information

Created By : EVANS DEMARTILE
Printed On : 10/08/2025 01:11:42

Name	Description	Qty	Retail Cost	Total
217380	LT255/80R17/10 121/118Q NIT RIDGE GRAPPLER	6	\$298.60	\$1,791.60
TIRE DISPOSAL		6	\$6.00	\$36.00
CDT		6	\$1.75	\$10.50
BALANCE	BALANCE ALL	6	\$18.75	\$112.50
passenger and light truck stem		6	\$4.00	\$24.00

Quote good for 14 days/ Free rotation and flat repair for the life of the tires

QUOTE SUMMARY	
Sub Total	\$1,974.60
Tax	\$131.63
Total	\$2,106.23

LT255/80R17/10
LT255/80R17/10 121/118Q NIT RIDGE GRAPPLER

Features

- Shoulder grooves help clear mud from the tread, keeping grip strong
- Lateral Z tread grooves and step block edges bite into terrain for powerful traction
- Variable pitch tread pattern for a smooth, quiet ride on-road
- Staggered shoulder lugs deliver strong off-road grip
- Two sidewall patterns – a traditional pattern on one side and a block design on the other
- Stone ejectors push rocks out of the tread, preventing damage



Load/Speed	121/118Q	Max Load Dual	2910@80	Tread Depth	16.4
Ply	10	Max Load Single	3195@80		
Season Designation	All Other	Overall Diameter	33.31		
Sidewall	Black Wall	Rim Width Max	8.5		
Ship Weight	54.96	Rim Width Min	6.5		
Extended Mobility	N	Rpm	624		
Load Range	E	Studdable	N		

QUOTE

Quote ID: 272033397

7
Oversize

Dealer Info

DeMartile Automotive/Tires and More
200 East Main st
Quincy, CA 95971

(530) 283-2211
demartileauto@digitalpath.net

Quote Information

Created By : EVANS DEMARTILE
Printed On : 10/08/2025 01:08:44

Name	Description	Qty	Retail Cost	Total
28840338	LT255/80R17/10 123/120S FAL WILDPEAK A/T4W	6	\$287.63	\$1,725.78
TIRE DISPOSAL		6	\$6.00	\$36.00
CDT		6	\$1.75	\$10.50
BALANCE	BALANCE ALL	6	\$18.75	\$112.50
passenger and light truck stem		6	\$4.00	\$24.00

Quote good for 14 days/ Free rotation and flat repair for the life of the tires

QUOTE SUMMARY	
Sub Total	\$1,908.78
Tax	\$126.86
Total	\$2,035.64

255/80R17
LT255/80R17/10 123/120S FAL WILDPEAK A/T4W



Load/Speed	123/120S	Overall Diameter	33
Mileage Warranty	60K	Rpm	632
Ply	10	Tread Depth	17
Season Designation	3 Peak Mt. Snowflake		
Ship Weight	58.1		
Load Range	E		
Max Load Single	3415@80		

QUOTE
Quote ID: 272035165

Actual size
for truck

Dealer Info
DeMartile Automotive/Tires and More
200 East Main st
Quincy, CA 95971

(530) 283-2211
demartileauto@digitalpath.net

Quote Information

Created By : EVANS DEMARTILE
Printed On : 10/08/2025 01:18:10

Name	Description	Qty	Retail Cost	Total
28847616	LT235/80R17/10 120/117R FAL WILDPEAK A/T4W	6	\$274.79	\$1,648.74
TIRE DISPOSAL		6	\$6.00	\$36.00
CDT		6	\$1.75	\$10.50
BALANCE	BALANCE ALL	6	\$18.75	\$112.50
passenger and light truck stem		6	\$4.00	\$24.00

Quote good for 14 days/ Free rotation and flat repair for the life of the tires

QUOTE SUMMARY	
Sub Total	\$1,831.74
Tax	\$121.27
Total	\$1,953.01

235/80R17
LT235/80R17/10 120/117R FAL WILDPEAK A/T4W



Load/Speed 120/117R
Mileage Warranty 60K
Ply 10
Season Designation 3 Peak Mt. Snowflake
Ship Weight 47.1
Load Range E
Max Load Single 3085@80

Overall Diameter 31.8
Rpm 655
Tread Depth 17

QUOTE

Quote ID: 272033463

Actual size
for truck

Dealer Info

DeMartile Automotive/Tires and More
200 East Main st
Quincy, CA 95971

(530) 283-2211
demartileauto@digitalpath.net

Quote Information

Created By : EVANS DEMARTILE
Printed On : 10/08/2025 01:17:02

Name	Description	Qty	Retail Cost	Total
09110	LT235/80R17/10 120/117Q HER TERRA TRAC T/G MAX	6	\$259.35	\$1,556.10
TIRE DISPOSAL		6	\$6.00	\$36.00
CDT		6	\$1.75	\$10.50
BALANCE	BALANCE ALL	6	\$18.75	\$112.50
passenger and light truck stem		6	\$4.00	\$24.00

Quote good for 14 days/ Free rotation and flat repair for the life of the tires

QUOTE SUMMARY

Sub Total \$1,739.10
Tax \$114.56
Total \$1,853.66

LT235/80R17/10
LT235/80R17/10 120/117Q HER TERRA TRAC T/G MAX

Features

Deep 18.5/32" tread ensures dependable traction and grip, helping vehicles deliver maximum torque.
Aggressive upper shoulder design offers superior abrasion resistance.
Stone ejector ribs help prevent stone drilling.
Robust, silica-based compound and optimized void-to-rubber ratio provide exceptional cut and chip resistance.



Load/Speed	120/117Q	Max Load Dual	2835@80	Tread Depth	18.5
Ply	10	Max Load Single	3085@80		
Season Designation	All Other	Overall Diameter	31.97		
Sidewall	Black Wall	Rim Width Max	7.5		
Ship Weight	44.22	Rim Width Min	6		
Extended Mobility	N	Rpm	649		
Load Range	E	Studdable	N		